


◇ 4300-XBAMS-0034 ON:ONO

Q. TY: _____

NJSR

SPEC.		TEST PRESS.	
FLUID		SHELL HYDRO	3.5 MPa
PRESS.	MAX 2.0 MPa	SEAT AIR	0.6 MPa
TEMP.	MAX 100 °C	AIR	MPa



PIPE THREADS CONFORM WITH "JIS B 0203"
*MODIFIED P.T.F.E.


15	LOOSE STOPPER	1	SUS 304CSP	
14	RUBBER PACKING	1	SYNTHETIC RUBBER (NJSR)	
13	RATCHET NUT	1	SCS 13	
12	HEXAGON NUT	1	SUS 304	
11	SPRING WASHER	1	SUS 304	
10	HANDLE	1	SUS 304	
9	THRUST BEARING	1	P.T.F.E.	CARBON FILLED
8	THRUST PACKING	1	P.T.F.E.	CARBON FILLED
7	GASKET PACKING	1	P.T.F.E.	
6	BALL SEAT	2	P.T.F.E.	*
5	GLAND	1	SUS 316	
4	STEM	1	SUS 316	
3	BALL DISC	1	SCS 13A	
2	BODY CAP	1	SCS 13	
1	BODY	1	SCS 13	
No.	NAME OF PARTS	Q.TY	MATERIALS	REMARKS

NAME NICE JOINT AND SCREWED ENDS
MINI BALL VALVES

TYPE NJX-611 SIZE 20Sx3/4B

ONG.No. XBAMS-0034 DATE NOV. 6 2023

APPROVED DESIGNED CHECKED DRAWN



THIRD ANGLE PROJECTION METHOD SCALE _____ :

O. N. INDUSTRIES LTD.