



◇ DNG.No. | BAMS-0949

SIZE	PIPE THREADS	P	L	H	W	D	S	Q, TY
	d							
1 ¹ / ₄	Rc 1 ¹ / ₄	32	107	96	170	67	50	
1 ¹ / ₂	Rc 1 ¹ / ₂	40	117	102	170	80	57	



SPEC.		TEST PRESS.	
FLUID		SHELL	HYDRO 8.24 MPa (84 kgf/cm ²)
PRESS.	MPa (kgf/cm ²)	SEAT	AIR 0.6 MPa (6.1 kgf/cm ²)
TEMP.	°C	AIR	MPa (kgf/cm ²)

PIPE THREADS CONFORM WITH "JIS B 0203"

No.	NAME OF PARTS	Q. TY	MATERIALS	REMARKS
12	HEXAGON NUT	2	SUS 304	
11	CONICAL WASHER	2	SUS 304	
10	HANDLE	1	SUS 304	
9	GLAND PACKING	1	P.T.F.E.	
8	THRUST PACKING	1	P.T.F.E.	CARBON FILLED
7	GASKET PACKING	1	P.T.F.E.	
6	BALL SEAT	2	P.T.F.E.	
5	GLAND	1	SUS 304	
4	STEM	1	SUS 304	
3	BALL DISC	1	SCS 13A	
2	BODY CAP	1	SCS 13	
1	BODY	1	SCS 13	

NAME	800 W.O.G. SCREWED ENDS MINI BALL VALVES FULL BORE		
TYPE	N-620A	SIZE	1 ¹ / ₄ , 1 ¹ / ₂ B
DNG.No.	BAMS-0949 ◇	APPROVED BY	<i>K. Tsumoto</i>
DATE	APR. 4. 2008.	CHECKED BY	<i>M. Adachi</i>
SCALE	:	DESIGNED BY	-
THIRD ANGLE PROJECTION METHOD		DRAWN BY	<i>K. Takatsuka</i>

O. N. INDUSTRIES LTD.

寸法表のスケール変更 H20. 9. 18.