

1
Dwg. No. BAJ-S-0655

SIZE	FLANGE SIZE	d	L	L ₁	D	T	T ₁	G	BOLT HOLE			H	W	A	B	B ₁	E	E ₁	F	Q, TY
									C	n	h									
15	40	15	110	59.5	140	16	25.5	81	105	4	19	126	130	50.5	50.5	59.5	Rp 1/2	Rp 3/4	4.3	
20	40	20	120	64.5	140	16	25.5	81	105	4	19	134	150	55.5	55.5	64.5	Rp 1/2	Rp 3/4	4.3	
25	50	25	130	69.5	155	16	25.5	96	120	4	19	137	150	60.5	60.5	69.5	Rp 1/2	Rp 3/4	4.3	

SPEC.		TEST PRESSURE	
FLUID		SHELL	HYDRO 2.1 MPa (21.4 kgf/cm ²)
PRESS.	MPa (kgf/cm ²)	SEAT	AIR 0.6 MPa (6.1 kgf/cm ²)
TEMP.	°C	JACKET	AIR 0.6 MPa (6.1 kgf/cm ²)

END FLANGED : JIS B 2220

18	SOCKET BOLT	4	SUS 304	
17	DRAIN PLUG	1	SCS 13	R1/2
16	JACKET		SCS 13A	
15	GLAND BOLT	2	SUS 304	
14	HANDLE	1	SCS 13	
13	STOP RING	1	SUS 304	
12	STOPPER	1	SUS 304	
11	BEARING	1	P.T.F.E.	+SUS 316
10	GLAND PACKING	1 SET	P.T.F.E.	CARBON FILLED
9	GASKET PACKING	1	P.T.F.E.	CARBON FILLED
8	BALL SEAT	2	P.T.F.E.	GLASS FILLED
7	THRUST RING	1	SUS 329J1	
6	GLAND	1	SCS 13	
5	GLAND SLEEVE	1	SUS 316	
4	STEM	1	SUS 316	
3	BALL DISC	1	SCS 14A	
2	SEAT HOLDER	1	SCS 14A	
1	BODY	1	SCS 14A	
No.	NAME OF PARTS	Q.TY	MATERIALS	REMARKS

NAME	JIS 10 K R.F. FLANGED ENDS		
TYPE	JACKET TYPE STRAIGHT WAY BALL VALVES		
	N-7017	SIZE	15 ~ 25 A
DWG.No.	BAJS-0655	APPROVED BY	K. Yamato
DATE	DEC. 19. 2006.	CHECKED BY	K. Asakura
SCALE	:	DESIGNED BY	—
THIRD ANGLE PROJECTION METHOD		DRAWN BY	K. Taketaka

O. N. INDUSTRIES LTD.

40A 削除	'08.12.03.
ボールシート材質・平面図変更	'07.04.04.

9590-SJVB '0N' QMO

SIZE	FLANGE SIZE	d	L	L ₁	D	T	T ₁	G	BOLT HOLE	C	n	h	H	W	A	B	B ₁	E	F	Q, TY
40	65	40	165	82.5	175	18	27.5	116	140	4	19	151	230	90	65	75	Rp 3/4	5.1		
50	80	50	180	90	185	18	27.5	126	150	8	19	162	320	100	65	75	Rp 3/4	5.1		
65	100	65	190	95	210	18	30.5	151	175	8	19	169	320	102	65	78	Rp 3/4	5.1		

SPEC.		TEST PRESSURE	
FLUID		SHELL	HYDRO 2.1 MPa
PRESS.	MPa	SEAT	AIR 0.6 MPa
TEMP.	℃	JACKET	AIR 0.6 MPa

END FLANGED : JIS B 2220

18	SOCKET BOLT	4	SUS 304	
17	DRAIN PLUG	1	SCS 13	R3/4
16	JACKET		SCS 13A	
15	GLAND BOLT	2	SUS 304	
14	HANDLE	1	SCS 13	
13	STOP RING	1	SUS 304	
12	STOPPER	1	SUS 304	
11	BEARING	1	P.T.F.E.	+SUS 316
10	GLAND PACKING	1set	P.T.F.E.	CARBON FILLED
9	GASKET PACKING	1	P.T.F.E.	CARBON FILLED
8	BALL SEAT	2	P.T.F.E.	GLASS FILLED
7	THRUST RING	1	SUS 329J1	
6	GLAND	1	SCS 13	
5	GLAND SLEEVE	1	SUS 316	
4	STEM	1	SUS 316	
3	BALL DISC	1	SCS 14A	
2	SEAT HOLDER	1	SCS 14A	
1	BODY	1	SCS 14A	
No.	NAME OF PARTS	Q.TY	MATERIALS	REMARKS

NAME	JIS 10 K R.F. FLANGED ENDS JACKET TYPE STRAIGHT WAY BALL VALVES		
TYPE	N-7017	SIZE	40 ~ 65 A
DMG.No.	BAJS-0656	APPROVED BY	H.Ogura
DATE	DEC.19.2006.	CHECKED BY	H.Ogura
SCALE		DESIGNED BY	R.Matsuki
THIRD ANGLE PROJECTION METHOD		DRAWN BY	Y.Katayama


O. N. INDUSTRIES LTD.

△	ハンドル形状、材質変更	'19. 8. 7.
△	40A追加	'08.12.03.
△	ボールシート材質・平面図変更	'07.04.04.



BAJS-0657 0N 9MO

SIZE	FLANGE SIZE	d	P	L	D	T	T ₁	G	BOLT HOLE			H	W	A	B	B ₁	E	F	Q, TY
80	100	80	65	200	210	18	30.5	151	175	8	19	169	320	112	65	78	Rp 3/4	5.1	
100	150	100	80	230	280	22	37.5	212	240	8	23	210	400	128	65	81	Rp 3/4	5.1	

A
B
C
D
E
F



SPEC.		TEST PRESS.	
FLUID		SHELL	HYDRO 2.1 MPa
PRESS.	MPa	SEAT	AIR 0.6 MPa
TEMP.	℃	JACKET	AIR 0.6 MPa



END FLANGED : JIS B 2220

18	SOCKET BOLT	4	SUS 304	
17	DRAIN PLUG	1	SCS 13	R3/4
16	JACKET		SCS 13A	
15	GLAND BOLT	2	SUS 304	
14	HANDLE	1	SCS 13	#100A-PCD 450
13	STOP RING	1	SUS 304	
12	STOPPER	1	SUS 304	
11	BEARING	1	P.T.F.E.	+SUS 316
10	GLAND PACKING	1 SET	P.T.F.E.	CARBON FILLED
9	GASKET PACKING	1	P.T.F.E.	CARBON FILLED
8	BALL SEAT	2	P.T.F.E.	GLASS FILLED
7	THRUST RING	1	SUS 329J1	
6	GLAND	1	SCS 13	
5	GLAND SLEEVE	1	SUS 316	
4	STEM	1	SUS 316	
3	BALL DISC	1	SCS 14A	
2	SEAT HOLDER	1	SCS 14A	
1	BODY	1	SCS 14A	
No.	NAME OF PARTS	Q. TY	MATERIALS	REMARKS

JIS 10 K R.F. FLANGED ENDS			
JACKET TYPE STRAIGHT WAY BALL VALVES			
NAME	N-7017	SIZE	80, 100 A
TYPE	BAJS-0657	APPROVED BY	H. Ogawa
DATE	DEC. 19. 2006.	CHECKED BY	H. Ogawa
SCALE		DESIGNED BY	R. Matsuki
THIRD ANGLE PROJECTION METHOD		DRAWN BY	R. Ueki

△	ハンドル形状、材質変更	2024. 12. 23.
△	ハンドル形状、材質変更	19. 8. 7.
△	ボールシート材質変更	07. 4. 4.

O. N. INDUSTRIES LTD.