


◇ 6260-SWB | BAMS-0929 | Dwg. No.

SIZE	PIPE THREADS	P	L	H	W	D	Q, TY
	d						
3/8	Rc 3/8	8	55	49	100	27	
1/2	Rc 1/2	10	60	50	100	30	
3/4	Rc 3/4	15	70	54	100	38	
1	Rc 1	20	80	64	130	46.5	
1 1/4	Rc 1 1/4	25	90	68	130	54	



SPEC.		TEST PRESS.	
FLUID		SHELL	HYDRO 8.24 MPa (84 kgf/cm ²)
PRESS.	MPa (kgf/cm ²)	SEAT	AIR 0.6 MPa (6.1 kgf/cm ²)
TEMP.	°C	AIR	MPa (kgf/cm ²)

PIPE THREADS CONFORM WITH 'JIS B 0203'
No. 3 3/8, 1/2B MATERIAL : SUS 316

12	HEXAGON NUT	1	SUS 304	
11	SPRING WASHER	1	SUS 304	
10	HANDLE	1	SUS 304	
9	THRUST BEARING	1	P.T.F.E.	CARBON FILLED
8	THRUST PACKING	1	P.T.F.E.	CARBON FILLED
7	GASKET PACKING	1	P.T.F.E.	
6	BALL SEAT	2	P.T.F.E.	
5	GLAND	1	SUS 316	
4	STEM	1	SUS 316	
3	BALL DISC	1	SCS 14A	
2	BODY CAP	1	SCS 14	
1	BODY	1	SCS 14	

No.	NAME OF PARTS	Q.TY	MATERIALS	REMARKS
NAME 800 W.O.G. SCREWED ENDS MINI BALL VALVES REGULAR BORE				
TYPE	N-610	SIZE	3/8 ~ 1 1/4 B	
DWG.No.	BAMS-0929	APPROVED BY	<i>H. Jeyapalan</i>	
DATE	APR. 12. 2007	CHECKED BY	<i>A. Sathya</i>	
SCALE		DESIGNED BY		
THIRD ANGLE PROJECTION METHOD		DRAWN BY <i>N. Subramanian</i>		

O. N. INDUSTRIES LTD.

△		
△		
△		